

Resource Summary Report

Generated by [dkNET](#) on Aug 31, 2026

B95-8

RRID:CVCL_1953

Type: Cell Line

Proper Citation

ECACC Cat# 85011419, RRID:CVCL_1953

Cell Line Information

URL: https://web.expasy.org/cellosaurus/CVCL_1953

Proper Citation: ECACC Cat# 85011419, RRID:CVCL_1953

Description: Cell line B95-8 is a Transformed cell line with a species of origin *Saguinus oedipus* (Cotton-top tamarin)

Sex: Female

Defining Citation: [PMID:2153236](#), [PMID:2824833](#), [PMID:3017841](#), [PMID:3145248](#), [PMID:4333982](#), [PMID:4346033](#), [PMID:4357683](#), [PMID:6265077](#), [PMID:6294325](#), [PMID:20454443](#), [PMID:24380390](#)

Comments: Virology: This cell line sheds the Epstein-Barr virus (EBV) strain B95-8 and is often used to transform human or other primates B lymphocytes., Characteristics: Was established by exposure to extracts of the 883L cell line (Cellosaurus=CVCL_6A87)., Group: Non-human primate cell line.

Category: Transformed cell line

Organism: *Saguinus oedipus* (Cotton-top tamarin)

Name: B95-8

Synonyms: B95.8, B 95.8, B 95-8, B-95-8, B958, GM07404, GM07404A, GM07404D

Cross References: BTO:BTO_0000107, CLO:CLO_0001776, CLO:CLO_0001838, EFO:EFO_0022801, CLDB:cl364, CLDB:cl365, CLDB:cl366, CLDB:cl367, CLDB:cl368, CLDB:cl369, ArrayExpress:E-MTAB-1511, ATCC:CRL-1612, BCRJ:0042, CCRID:3101MONGNO3, CCRID:4201MON-CCTCC00015, CCRID:5301MON-KCB93008YJ, CCTCC:GDC0015, ChEMBL-Cells:ChEMBL3307906, ChEMBL-Targets:ChEMBL614276, CLS:305152, CLS:601102, Coriell:GM07404, DSMZ:ACC-100, DSMZCellDive:ACC-100, ECACC:85011419, IBRC:C10050, ICLC:ATL95004, IZSLER:BS

CL 110, JCRB:JCRB9123, KCB:KCB 91004YJ, KCB:KCB 93008YJ, KCLB:21612, NCBI_Iran:C110, PubChem_Cell_line:CVCL_1953, TKG:TKG 0186, TOKU-E:3559, Wikidata:Q54752921

ID: CVCL_1953

Vendor: ECACC

Catalog Number: 85011419

Record Creation Time: 20220427T215234+0000

Record Last Update: 20260830T002309+0000

Ratings and Alerts

No rating or validation information has been found for B95-8.

Warning: Discontinued: ATCC; CRL-1612

Virology: This cell line sheds the Epstein-Barr virus (EBV) strain B95-8 and is often used to transform human or other primates B lymphocytes., Characteristics: Was established by exposure to extracts of the 883L cell line (CelloSaurus=CVCL_6A87)., Group: Non-human primate cell line. **Warning:** Discontinued: Coriell; GM07404

Virology: This cell line sheds the Epstein-Barr virus (EBV) strain B95-8 and is often used to transform human or other primates B lymphocytes., Characteristics: Was established by exposure to extracts of the 883L cell line (CelloSaurus=CVCL_6A87)., Group: Non-human primate cell line. **Warning:** Discontinued: KCLB; 21612

Virology: This cell line sheds the Epstein-Barr virus (EBV) strain B95-8 and is often used to transform human or other primates B lymphocytes., Characteristics: Was established by exposure to extracts of the 883L cell line (CelloSaurus=CVCL_6A87)., Group: Non-human primate cell line.

Data and Source Information

Source: [CelloSaurus](#)

Usage and Citation Metrics

We found 251 mentions in open access literature.

Listed below are recent publications. The full list is available at [dkNET](#) .

Komura S, et al. (2026) Expression of Glycoprotein B (gB) Correlates With Poor Prognosis in Nasopharyngeal Carcinoma. Cancer science, 117(5), 1481.

Zhou Y, et al. (2026) COG5 deficiency disrupts cellular copper homeostasis and underlies the impaired mitochondrial OXPHOS function. PLoS genetics, 22(3), e1012076.

Cai HM, et al. (2025) DDX3X mutation and Epstein-Barr virus cooperate to induce R-loop-dependent oncogenesis. Cell reports, 44(9), 116237.

Schmidt KG, et al. (2025) Coronavirus replicase epitopes induce cross-reactive CD8 T cell responses in SARS-CoV-2-naive people with HIV-1. *iScience*, 28(3), 111949.

Luo Z, et al. (2025) Comparative infectivity of EBV subtypes in tree shrews (*Tupaia belangeri*). *Virology journal*, 22(1), 330.

San Roman AK, et al. (2024) The human Y and inactive X chromosomes similarly modulate autosomal gene expression. *Cell genomics*, 4(1), 100462.

Huang J, et al. (2024) Assembly and activation of EBV latent membrane protein 1. *Cell*, 187(18), 4996.

Mori S, et al. (2024) Neoself-antigens are the primary target for autoreactive T cells in human lupus. *Cell*, 187(21), 6071.

Zhou Y, et al. (2024) Biallelic variants in the NDUFAF6 cause mitochondrial respiratory complex assembly defects associated with Leigh syndrome in probands. *Molecular genetics and metabolism reports*, 41, 101168.

Grain A, et al. (2023) Two Ways of Targeting a CD19 Positive Relapse of Acute Lymphoblastic Leukaemia after Anti-CD19 CAR-T Cells. *Biomedicines*, 11(2).

Castelo Rueda MP, et al. (2023) Molecular phenotypes of mitochondrial dysfunction in clinically non-manifesting heterozygous PRKN variant carriers. *NPJ Parkinson's disease*, 9(1), 65.

Chao TY, et al. (2023) Subcellular Distribution of BALF2 and the Role of Rab1 in the Formation of Epstein-Barr Virus Cytoplasmic Assembly Compartment and Virion Release. *Microbiology spectrum*, 11(1), e0436922.

Ho JWY, et al. (2023) Comprehensive Profiling of EBV Gene Expression and Promoter Methylation Reveals Latency II Viral Infection and Sporadic Abortive Lytic Activation in Peripheral T-Cell Lymphomas. *Viruses*, 15(2).

El Kenz B, et al. (2023) Definition of a New HLA B*52-Restricted Rev CTL Epitope Targeted by an HIV-1-Infected Controller. *Viruses*, 15(2).

Chen S, et al. (2023) LMP1 mediates tumorigenesis through persistent epigenetic modifications and PGC1 α upregulation. *Oncology reports*, 49(3).

Reguraman N, et al. (2023) Assessing the Efficacy of VLP-Based Vaccine against Epstein-Barr Virus Using a Rabbit Model. *Vaccines*, 11(3).

Uddin MK, et al. (2023) Epstein-Barr Virus BBLF1 Mediates Secretory Vesicle Transport to Facilitate Mature Virion Release. *Journal of virology*, 97(6), e0043723.

Chen H, et al. (2023) CTCF variant begets to short stature by down-regulation of IGF1. *Journal of molecular endocrinology*, 70(4).

Kumar R, et al. (2023) Reduced G protein signaling despite impaired internalization and β -arrestin recruitment in patients carrying a CXCR4Leu317fsX3 mutation causing WHIM syndrome. *JCI insight*, 8(5).

Ai Q, et al. (2023) Targeting KRASG12V mutations with HLA class II-restricted TCR for the immunotherapy in solid tumors. *Frontiers in immunology*, 14, 1161538.