

Resource Summary Report

Generated by [dkNET](#) on Sep 4, 2026

Actin antibody [AC-40] (Cy3)

RRID:AB_384202

Type: Antibody

Proper Citation

GeneTex Cat# GTX11004, RRID:AB_384202

Antibody Information

URL: http://antibodyregistry.org/AB_384202

Proper Citation: GeneTex Cat# GTX11004, RRID:AB_384202

Target Antigen: Actin antibody [AC-40] (Cy3)

Host Organism: mouse

Clonality: monoclonal

Comments: Discontinued; manufacturer recommendations: IgG2a; IgG2a IF, IHC-Fr, IHC-P, Immunofluorescence, IHC (Frozen sections), IHC (Formalin-fixed paraffin-embedded sections). The usefulness of this product in other applications has not been determined., IF: Use at a dilution of 1/50 (determined by direct immunofluorescent labeling of cultured human or chicken fibroblasts). The conjugate is suitable for dual immunofluorescent staining procedures. May be used for the localization of actin using direct immunofluorescence on cultured cells and frozen or methanol-fixed tissue sections. IHC-P: Use at an assay dependent dilution. IHC-Fr: Use at an assay dependent dilution. Direct Immunofluorescent Labeling of Cultured Cells:Materials:1. Coverslips.2. Cells (e.g., human or chicken fibroblasts) in DMEM medium + 10 Fetal Calf Serum 3. 10 mM phosphate buffered s

Antibody Name: Actin antibody [AC-40] (Cy3)

Description: This monoclonal targets Actin antibody [AC-40] (Cy3)

Target Organism: chicken, rat, hamster, xenopusamphibian, xenopus, porcine, canine, cow, goat, reptile, pig, mouse, carp, chickenbird, zebrafishfish, mollusc, rabbit, bovine, human, dog, sheep

Antibody ID: AB_384202

Vendor: GeneTex

Catalog Number: GTX11004

Record Creation Time: 20231110T081158+0000

Record Last Update: 20260829T040530+0000

Ratings and Alerts

No rating or validation information has been found for Actin antibody [AC-40] (Cy3).

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: IgG2a; IgG2a IF, IHC-Fr, IHC-P, Immunofluorescence, IHC (Frozen sections), IHC (Formalin-fixed paraffin-embedded sections). The usefulness of this product in other applications has not been determined., IF: Use at a dilution of 1/50 (determined by direct immunofluorescent labeling of cultured human or chicken fibroblasts). The conjugate is suitable for dual immunofluorescent staining procedures. May be used for the localization of actin using direct immunofluorescence on cultured cells and frozen or methanol-fixed tissue sections. IHC-P: Use at an assay dependent dilution. IHC-Fr: Use at an assay dependent dilution. Direct Immunofluorescent Labeling of Cultured Cells:Materials:1. Coverslips.2. Cells (e.g., human or chicken fibroblasts) in DMEM medium + 10 Fetal Calf Serum 3. 10 mM phosphate buffered s

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.