

Resource Summary Report

Generated by [dkNET](#) on Aug 19, 2026

Donkey anti-Chicken IgY (H+L) Highly Cross Adsorbed Secondary Antibody, Alexa Fluor™ 568

RRID:AB_2921072

Type: Antibody

Proper Citation

(Thermo Fisher Scientific Cat# A78950, RRID:AB_2921072)

Antibody Information

URL: http://antibodyregistry.org/AB_2921072

Proper Citation: (Thermo Fisher Scientific Cat# A78950, RRID:AB_2921072)

Target Antigen: Chicken IgY (H+L) Highly Cross Adsorbed

Host Organism: donkey

Clonality: polyclonal secondary

Comments: Applications: ARRAY, Flow, ICC/IF, IHC, WB

Antibody Name: Donkey anti-Chicken IgY (H+L) Highly Cross Adsorbed Secondary Antibody, Alexa Fluor™ 568

Description: This polyclonal secondary targets Chicken IgY (H+L) Highly Cross Adsorbed

Target Organism: chicken

Antibody ID: AB_2921072

Vendor: Thermo Fisher Scientific

Catalog Number: A78950

Record Creation Time: 20251213T073649+0000

Record Last Update: 20260225T230841+0000

Ratings and Alerts

No rating or validation information has been found for Donkey anti-Chicken IgY (H+L) Highly Cross Adsorbed Secondary Antibody, Alexa Fluor™ 568.

No alerts have been found for Donkey anti-Chicken IgY (H+L) Highly Cross Adsorbed Secondary Antibody, Alexa Fluor™ 568.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 12 mentions in open access literature.

Listed below are recent publications. The full list is available at [dkNET](#) .

Huang Y, et al. (2026) MerTK-triggered TGF β 1 autocrine signal regulates microglial response to neurodegeneration. Nature communications, 17(1).

Broix L, et al. (2025) m6A RNA methylation-mediated control of global APC expression is required for local translation of β -actin and axon development. Cell reports, 44(6), 115727.

Bresesti C, et al. (2025) Reprogramming liver metastasis-associated macrophages toward an anti-tumoral phenotype through enforced miR-342 expression. Cell reports, 44(5), 115592.

Tarakcioglu E, et al. (2025) Neonatal NLRP3 Inflammasome Activation Leads to Perineuronal Net Deficits in Early Adulthood. Developmental neurobiology, 85(3), e22986.

Tarakcioglu E, et al. (2025) Microglial NLRP3 inflammasome activation leads to perineuronal net loss in cocultured neurons. Molecular biology reports, 52(1), 1023.

McCoy C, et al. (2025) Focal postnatal deletion of Tsc2 causes epilepsy. Frontiers in molecular neuroscience, 18, 1686023.

Hu R, et al. (2024) Runx2 regulates peripheral nerve regeneration to promote Schwann cell migration and re-myelination. Neural regeneration research, 19(7), 1575.

Feng C, et al. (2024) Vitamin B12 ameliorates gut epithelial injury via modulating the HIF-1 pathway and gut microbiota. Cellular and molecular life sciences : CMLS, 81(1), 397.

Sun Z, et al. (2024) Harnessing developmental dynamics of spinal cord extracellular matrix improves regenerative potential of spinal cord organoids. Cell stem cell, 31(5), 772.

Cardanho-Ramos C, et al. (2024) Local mitochondrial replication in the periphery of neurons requires the eEF1A1 protein and the translation of nuclear-encoded proteins. iScience, 27(4), 109136.

Drake AW, et al. (2024) Somatostatin interneuron fate-mapping and structure in a Pten knockout model of epilepsy. Frontiers in cellular neuroscience, 18, 1474613.

Yazdan-Shahmorad P, et al. (2023) Preferential transduction of parvalbumin-expressing cortical neurons by AAV-mDLX5/6 vectors. *Frontiers in neuroscience*, 17, 1269025.