

Resource Summary Report

Generated by [dkNET](#) on Aug 17, 2026

CD8 antibody [UCHT-4] (FITC)

RRID:AB_372108

Type: Antibody

Proper Citation

GeneTex Cat# GTX13444, RRID:AB_372108

Antibody Information

URL: http://antibodyregistry.org/AB_372108

Proper Citation: GeneTex Cat# GTX13444, RRID:AB_372108

Target Antigen: CD8 antibody [UCHT-4] (FITC)

Host Organism: mouse

Clonality: monoclonal

Comments: Discontinued; manufacturer recommendations: IgG2a; IgG2a Immunofluorescence; Flow Cytometry; Immunohistochemistry; For FACS: Use 10µl for 10⁶ cells. FITC Monoclonal Anti-Human CD8 may be used for:1. Enumeration of total T cytotoxic/suppressor lymphocytes in bone marrow, blood and other body fluids.2. Identification and localization of T cytotoxic/ suppressor lymphocytes in lymphoid and other tissues.3. Analysis of cell mediated cytotoxicity.4. Studies of immunoregulation in health and disease.5. Investigation of NK cells.6. Complement mediated cytolysis of CD8 expressing cells. Not tested in other applications. Optimal dilutions/concentrations should be determined by the researcher., Flow cytometry. The usefulness of this product in other applications has not been determined., FACS

Antibody Name: CD8 antibody [UCHT-4] (FITC)

Description: This monoclonal targets CD8 antibody [UCHT-4] (FITC)

Antibody ID: AB_372108

Vendor: GeneTex

Catalog Number: GTX13444

Record Creation Time: 20250820T005202+0000

Record Last Update: 20250820T092437+0000

Ratings and Alerts

No rating or validation information has been found for CD8 antibody [UCHT-4] (FITC).

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: IgG2a; IgG2a Immunofluorescence; Flow Cytometry; Immunohistochemistry; For FACS: Use 10µl for 10⁶ cells. FITC Monoclonal Anti-Human CD8 may be used for:1. Enumeration of total T cytotoxic/suppressor lymphocytes in bone marrow, blood and other body fluids.2. Identification and localization of T cytotoxic/ suppressor lymphocytes in lymphoid and other tissues.3. Analysis of cell mediated cytotoxicity.4. Studies of immunoregulation in health and disease.5. Investigation of NK cells.6. Complement mediated cytolysis of CD8 expressing cells. Not tested in other applications. Optimal dilutions/concentrations should be determined by the researcher., Flow cytometry. The usefulness of this product in other applications has not been determined., FACS

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.