

Resource Summary Report

Generated by [dkNET](#) on Aug 30, 2026

STROBE

RRID:SCR_018788

Type: Tool

Proper Citation

STROBE (RRID:SCR_018788)

Resource Information

URL: <https://www.strobe-statement.org/index.php?id=strobe-home>

Proper Citation: STROBE (RRID:SCR_018788)

Description: Guidelines for strengthening reporting of observational studies in epidemiology. International, collaborative initiative of epidemiologists, methodologists, statisticians, researchers and journal editors involved in developing recommendations on what should be included in accurate and complete report of observational study. Recommendations to cover study designs in cohort, case-control, and cross-sectional studies.

Synonyms: STROBE statement, Strengthening the Reporting of Observational Studies in Epidemiology (STROBE)

Resource Type: data or information resource, portal

Defining Citation: [DOI:10.1016/S0140-6736\(07\)61602-X](https://doi.org/10.1016/S0140-6736(07)61602-X)

Keywords: STROBE statement, guidelines, strengthening reporting, observational study, epidemiology, report, study design, cohort, case control, cross sectional study

Availability: Free, Freely available

Resource Name: STROBE

Resource ID: SCR_018788

Record Creation Time: 20220129T080342+0000

Record Last Update: 20260829T182850+0000

Ratings and Alerts

No rating or validation information has been found for STROBE.

No alerts have been found for STROBE.

Data and Source Information

Source: [SciCrunch Registry](#)

Usage and Citation Metrics

We found 34 mentions in open access literature.

Listed below are recent publications. The full list is available at [dkNET](#) .

Klincová M, et al. (2026) Malignant Hyperthermia in Slavonic cohort - clinical and genetic findings beyond standard diagnostics. Orphanet journal of rare diseases, 21(1).

Kim EJ, et al. (2025) The mediating effect of health-promoting behaviors on the relationship between infertility stress and fertility-related quality of life of infertile women: a cross-sectional study. Women's health nursing (Seoul, Korea), 31(1), 66.

likuni T, et al. (2025) Evaluation of the Relationship Between Anemia and Subjective Symptoms in White-Collar Workers. Cureus, 17(5), e83819.

Tr?ková A, et al. (2025) Perioperative temperature management and coagulation: effects of mild hypothermia in a prospective study. Frontiers in medicine, 12, 1536782.

Kulovec D, et al. (2024) Uncontrolled Donation Potential After Circulatory Death in Slovenia Could Lead to More Organ Donations: Extrapolation of SiOHCA Study Data. Inquiry : a journal of medical care organization, provision and financing, 61, 469580241283185.

Nettelrodt KME, et al. (2024) Self-reported frequency of handwashing among pet and non-pet owners in different situations: results of four surveys of the general adult population in Germany. BMC public health, 24(1), 3581.

Kwak S, et al. (2023) The Relationship between Self-Perceived Health and Physical Activity in the Mental Health of Korean Cancer Survivors. Healthcare (Basel, Switzerland), 11(11).

Lee SH, et al. (2023) Factors influencing health-related quality of life in older adult women with sarcopenia: analysis of the Korean National Health and Nutrition Examination Survey 2019. Korean journal of women health nursing, 29(4), 328.

Shemelis D, et al. (2022) Prevalence and risk factor for mistreatment in childbirth: In health facilities of Gondar city, Ethiopia. PloS one, 17(5), e0268014.

Ielapi N, et al. (2022) Wound Care Self-Efficacy Assessment of Italian Registered Nurses and Wound Care Education in Italian Nursing Education System: A Cross-Sectional Study. Nursing reports (Pavia, Italy), 12(3), 674.

Lee Y, et al. (2022) Effects of Recreational Physical Activity on Abdominal Obesity in Obese South Korean Adults. *International journal of environmental research and public health*, 19(22).

Lamping J, et al. (2022) Do task and item difficulty affect overestimation of one's hand hygiene compliance? A cross-sectional survey of physicians and nurses in surgical clinics of six hospitals in Germany. *Antimicrobial resistance and infection control*, 11(1), 147.

Valke LLFG, et al. (2022) Fibrinolytic assays in bleeding of unknown cause: Improvement in diagnostic yield. *Research and practice in thrombosis and haemostasis*, 6(2), e12681.

Jafari-Oori M, et al. (2022) Psychiatric distress in family caregivers of patients with COVID-19. *Archives of psychiatric nursing*, 37, 69.

Kroon C, et al. (2022) Blind spots on western blots: Assessment of common problems in western blot figures and methods reporting with recommendations to improve them. *PLoS biology*, 20(9), e3001783.

Ielapi N, et al. (2021) Insomnia Prevalence among Italian Night-Shift Nurses. *Nursing reports (Pavia, Italy)*, 11(3), 530.

Carpagnano GE, et al. (2021) More skilled clinical management of COVID-19 patients modified mortality in an intermediate respiratory intensive care unit in Italy. *Respiratory research*, 22(1), 16.

Karawekpanyawong N, et al. (2021) The prevalence of depressive disorder and its association in Thai cervical cancer patients. *PloS one*, 16(6), e0252779.

Arana A, et al. (2021) Long-Term Risk of Skin Cancer and Lymphoma in Users of Topical Tacrolimus and Pimecrolimus: Final Results from the Extension of the Cohort Study Protopic Joint European Longitudinal Lymphoma and Skin Cancer Evaluation (JOELLE). *Clinical epidemiology*, 13, 1141.

Veronez CL, et al. (2021) The Panorama of Primary Angioedema in the Brazilian Population. *The journal of allergy and clinical immunology. In practice*, 9(6), 2293.