

Resource Summary Report

Generated by [dkNET](#) on Aug 19, 2026

MPVS Ultra Pressure Volume Loop System

RRID:SCR_016179

Type: Tool

Proper Citation

MPVS Ultra Pressure Volume Loop System (RRID:SCR_016179)

Resource Information

URL: <https://millar.com/research/pressure-volume/mpvs-ultra>

Proper Citation: MPVS Ultra Pressure Volume Loop System (RRID:SCR_016179)

Description: System to record continuous measurements of left ventricular pressure with a conductance pressure-volume catheter.

Resource Type: resource

Keywords: hardware, instrument, equipment, pressure, heart, cardiology, catheter

Resource Name: MPVS Ultra Pressure Volume Loop System

Resource ID: SCR_016179

Record Creation Time: 20220129T080329+0000

Record Last Update: 20260815T182522+0000

Ratings and Alerts

No rating or validation information has been found for MPVS Ultra Pressure Volume Loop System .

No alerts have been found for MPVS Ultra Pressure Volume Loop System .

Data and Source Information

Source: [SciCrunch Registry](#)

Usage and Citation Metrics

We found 2 mentions in open access literature.

Listed below are recent publications. The full list is available at [dkNET](#) .

Yang P, et al. (2019) A novel cyclic biased agonist of the apelin receptor, MM07, is disease modifying in the rat monocrotaline model of pulmonary arterial hypertension. British journal of pharmacology, 176(9), 1206.

Raina JB, et al. (2016) Isolation of an antimicrobial compound produced by bacteria associated with reef-building corals. PeerJ, 4, e2275.