

Resource Summary Report

Generated by [dkNET](#) on Aug 5, 2026

[P{w\[+mC\]=ovoD1-18}P4.1, P{ry\[+t7.2\]=hsFLP}12, y\[1\] w\[1118\] sn\[3\] P{ry\[+t7.2\]=neoFRT}19A/C\(1\)DX, y\[1\] f\[1\]](#)

RRID:BDSC_23880

Type: Organism

Proper Citation

RRID:BDSC_23880

Organism Information

URL: <https://n2t.net/bdsc:23880>

Proper Citation: RRID:BDSC_23880

Description: Drosophila melanogaster with name P{w[+mC]=ovoD1-18}P4.1, P{ry[+t7.2]=hsFLP}12, y[1] w[1118] sn[3] P{ry[+t7.2]=neoFRT}19A/C(1)DX, y[1] f[1] from BDSC.

Species: Drosophila melanogaster

Notes: Useful for germ line clonal analysis. Donor: Mark Metzstein, University of Utah

Affected Gene: f, FLP, Hsp70 (generic), FRT, ovo, sn, w, y

Genomic Alteration: Chromosome 1

Catalog Number: 23880

Database: Bloomington Drosophila Stock Center (BDSC)

Database Abbreviation: BDSC

Availability: available

Alternate IDs: BDSC_23880, BL23880

Organism Name: P{w[+mC]=ovoD1-18}P4.1, P{ry[+t7.2]=hsFLP}12, y[1] w[1118] sn[3] P{ry[+t7.2]=neoFRT}19A/C(1)DX, y[1] f[1]

Record Creation Time: 20240911T222412+0000

Record Last Update: 20260801T194924+0000

Ratings and Alerts

No rating or validation information has been found for P{w[+mC]=ovoD1-18}P4.1, P{ry[+t7.2]=hsFLP}12, y[1] w[1118] sn[3] P{ry[+t7.2]=neoFRT}19A/C(1)DX, y[1] f[1].

No alerts have been found for P{w[+mC]=ovoD1-18}P4.1, P{ry[+t7.2]=hsFLP}12, y[1] w[1118] sn[3] P{ry[+t7.2]=neoFRT}19A/C(1)DX, y[1] f[1].

Data and Source Information

Source: [Integrated Animals](#)

Source Database: Bloomington Drosophila Stock Center (BDSC)

Usage and Citation Metrics

We found 5 mentions in open access literature.

Listed below are recent publications. The full list is available at [dkNET](#) .

Doerflinger H, et al. (2022) The Drosophila anterior-posterior axis is polarized by asymmetric myosin activation. *Current biology : CB*, 32(2), 374.

Ray S, et al. (2019) The mlpt/Ubr3/Svb module comprises an ancient developmental switch for embryonic patterning. *eLife*, 8.

Singh A, et al. (2018) Pleiotropic Functions of the Chromodomain-Containing Protein Hat-trick During Oogenesis in *Drosophila melanogaster*. *G3 (Bethesda, Md.)*, 8(3), 1067.

Lucas T, et al. (2018) 3 minutes to precisely measure morphogen concentration. *PLoS genetics*, 14(10), e1007676.

Shahab J, et al. (2015) Bazooka/PAR3 is dispensable for polarity in *Drosophila* follicular epithelial cells. *Biology open*, 4(4), 528.