

Resource Summary Report

Generated by [dkNET](#) on Aug 28, 2026

[w\[*\]; P{ry\[+t7.2\]=neoFRT}82B
TI{RFP\[DsRed\(T1\).3xP3.cHa\]=TI}cno\[DeltaDelta\]/TM3,
P{w\[+mC\]=GAL4-twi.G}2.3, P{UAS-2xEGFP}AH2.3,
Sb\[1\]](#)

RRID:BDSC_94023

Type: Organism

Proper Citation

RRID:BDSC_94023

Organism Information

URL: <https://n2t.net/bdsc:94023>

Proper Citation: RRID:BDSC_94023

Description: Drosophila melanogaster with name w[*]; P{ry[+t7.2]=neoFRT}82B
TI{RFP[DsRed(T1).3xP3.cHa]=TI}cno[DeltaDelta]/TM3, P{w[+mC]=GAL4-twi.G}2.3,
P{UAS-2xEGFP}AH2.3, Sb[1] from BDSC.

Species: Drosophila melanogaster

Notes: Donor: Mark Peifer, University of North Carolina, Chapel Hill

Affected Gene: GAL4, twi, Avic\GFP, UAS, Sb, cno, w

Genomic Alteration: Chromosome 1, Chromosome 3

Catalog Number: 94023

Database: Bloomington Drosophila Stock Center (BDSC)

Database Abbreviation: BDSC

Availability: available

Alternate IDs: BDSC_94023, BL94023

Organism Name: w[*]; P{ry[+t7.2]=neoFRT}82B
TI{RFP[DsRed(T1).3xP3.cHa]=TI}cno[DeltaDelta]/TM3, P{w[+mC]=GAL4-twi.G}2.3,
P{UAS-2xEGFP}AH2.3, Sb[1]

Record Creation Time: 20240911T223444+0000

Record Last Update: 20260826T180606+0000

Ratings and Alerts

No rating or validation information has been found for w[*]; P{ry[+t7.2]=neoFRT}82B
TI{RFP[DsRed(T1).3xP3.cHa]=TI}cno[DeltaDelta]/TM3, P{w[+mC]=GAL4-twi.G}2.3,
P{UAS-2xEGFP}AH2.3, Sb[1].

No alerts have been found for w[*]; P{ry[+t7.2]=neoFRT}82B
TI{RFP[DsRed(T1).3xP3.cHa]=TI}cno[DeltaDelta]/TM3, P{w[+mC]=GAL4-twi.G}2.3,
P{UAS-2xEGFP}AH2.3, Sb[1].

Data and Source Information

Source: [Integrated Animals](#)

Source Database: Bloomington Drosophila Stock Center (BDSC)

Usage and Citation Metrics

We found 3 mentions in open access literature.

Listed below are recent publications. The full list is available at [dkNET](#) .

Jensen CC, et al. (2025) A key role of Canoe's intrinsically disordered region in linking cell junctions to the cytoskeleton. The Journal of cell biology, 224(12).

Jensen CC, et al. (2025) A key role for Canoe's intrinsically disordered region in linking cell junctions to the cytoskeleton. bioRxiv : the preprint server for biology.

McParland ED, et al. (2024) The dual Ras-association domains of Drosophila Canoe have differential roles in linking cell junctions to the cytoskeleton during morphogenesis. Journal of cell science, 137(23).