

Resource Summary Report

Generated by [dkNET](#) on Sep 9, 2026

Distribution of aerophilous diatom communities associated with terrestrial green macroalgae in the South Shetland Islands, Maritime Antarctica - PROTOCOL

DOI:10.17504/protocols.io.6tcheiw

Type: Protocol

Proper Citation

Juliana Ferreira da Silva, Maria Angélica Oliveira, Raylane Ribeiro Anunciação, Eduardo Pereira da Silva, Rodrigo Paidano Alves, Adriano Luis Schunemann, Filipe de Carvalho Victoria, Margéli Pereira de Albuquerque, Antonio Batista Pereira 2019. Distribution of aerophilous diatom communities associated with terrestrial green macroalgae in the South Shetland Islands, Maritime Antarctica - PROTOCOL. protocols.io
dx.doi.org/10.17504/protocols.io.6tcheiw

Protocol Information

URL: <https://dx.doi.org/10.17504/protocols.io.6tcheiw>

Authors: Juliana Ferreira da Silva, Maria Angélica Oliveira, Raylane Ribeiro Anunciação, Eduardo Pereira da Silva, Rodrigo Paidano Alves, Adriano Luis Schunemann, Filipe de Carvalho Victoria, Margéli Pereira de Albuquerque, Antonio Batista Pereira

Summary: The establishment of diatom communities depends on environmental factors such as the type of substrate and geographic conditions that influence the dispersal processes of these organisms. The main goal of this study was to evaluate the similarity between diatom communities associated with the macroalgae *Prasiola crista* (Lightfoot) Kützinger in relation to spatial distance from six sampled sites located in the South Shetland Islands, Maritime Antarctica. The diatom flora associated with *Prasiola crista* was represented by 23 species distributed in 15 genera. *Pinnularia australoschoenfelderii* Zidarova, Kopalová & Van de Vijver, *Luticola austroatlantica* Van de Vijver, Kopalová, S.A. Spaulding & Esposito, *Luticola amoena* Van der Vijver, Kopalová, Zidarova & Levkov, *Pinnularia austroshetlandica* (Carlson) Cleve-Euler and *Psammothidium papilio* (D.E. Kellogg et al.) Kopalová & Zidarova were the most abundant species in our samples, which together represented 68% of the total number of individuals collected. There is a great similarity in composition and abundance of the diatom community among the sampled points., which resulted in the absence of a linear pattern of relationship with the distance between sampling points. We conclude that distance was not a factor of differentiation of Antarctic diatom communities associated with terrestrial

green macroalgae. Suggesting that Antarctic environments may have unique characteristics with homogeneous abiotic factors, at least related to this substrate.

Associated Publications: Silva JFd, Linton MAO, Anunciação RRd, Silva EPd, Alves RP, Schünemann AL, Victoria FdC, Albuquerque MPd, Pereira AB (2019) Distribution of aerophilous diatom communities associated with terrestrial green macroalgae in the South Shetland Islands, Maritime Antarctica. PLoS ONE 14(12): e0226691. doi: [10.1371/journal.pone.0226691](https://doi.org/10.1371/journal.pone.0226691)

Affiliations: Antarctic Vegetation Studies Center. Federal University of Pampa. Antonio Trilha Avenue, 1847, 97300-000, São Gabriel, RS, Brazil, Laboratory of Phycology. Federal University of Santa Maria . Roraima Avenue, 1000, 97105-900, Santa Maria, RS, Brazil, Laboratory of Phycology. Federal University of Pernambuco. Dom Manuel de Medeiros Street, 52171-900, Recife, PE, Brazil, Antarctic Vegetation Studies Center. Federal University of Pampa. Antonio Trilha Avenue, 1847, 97300-000, São Gabriel, RS, Brazil, Max Planck Institute for Chemistry. Andre Araujo Avenue, 2936, 69067-375, Manaus, AM, Brazil, Antarctic Vegetation Studies Center. Federal University of Pampa. Antonio Trilha Avenue, 1847, 97300-000, São Gabriel, RS, Brazil, Antarctic Vegetation Studies Center. Federal University of Pampa. Antonio Trilha Avenue, 1847, 97300-000, São Gabriel, RS, Brazil, National Institute of Antarctic Science and Tecnology – INCT/APA, Antarctic Vegetation Studies Center. Federal University of Pampa. Antonio Trilha Avenue, 1847, 97300-000, São Gabriel, RS, Brazil, Antarctic Vegetation Studies Center. Federal University of Pampa. Antonio Trilha Avenue, 1847, 97300-000, São Gabriel, RS, Brazil

External URL: <https://doi.org/10.1371/journal.pone.0226691>

Version: 1

Publication Date: 2019

Proper Citation: Juliana Ferreira da Silva, Maria Angélica Oliveira, Raylane Ribeiro Anunciação, Eduardo Pereira da Silva, Rodrigo Paidano Alves, Adriano Luis Schunemann, Filipe de Carvalho Victoria, Margéli Pereira de Albuquerque, Antonio Batista Pereira 2019. Distribution of aerophilous diatom communities associated with terrestrial green macroalgae in the South Shetland Islands, Maritime Antarctica - PROTOCOL. protocols.io dx.doi.org/10.17504/protocols.io.6tcheiw

Record Creation Time: 20210329T220530+0000

Record Last Update: 20210329T220949+0000

Data and Source Information

Source: