

Resource Summary Report

Generated by [dkNET](#) on Sep 13, 2026

MojoSort™ Mouse CD8a Selection Kit Column Protocol

DOI:10.17504/protocols.io.bbugintw

Type: Protocol

Proper Citation

Sam Li 2020. MojoSort™ Mouse CD8a Selection Kit Column Protocol. protocols.io
dx.doi.org/10.17504/protocols.io.bbugintw

Protocol Information

URL: <https://dx.doi.org/10.17504/protocols.io.bbugintw>

Authors: Sam Li

Group: BioLegend

Summary: BioLegend MojoSort™ nanobeads work in commonly used separation columns, based on our internal research as well as validation by external testing by academic labs. This simple protocol consists of following the MojoSort™ protocol to label the cells with pre-diluted MojoSort™ reagents and using the columns as indicated by the manufacturer.

Affiliations: BioLegend

External URL: <https://www.biolegend.com/en-us/protocols/mojosort-mouse-cd8a-selection-kit-column-protocol>

Version: 1

Publication Date: 2020

Proper Citation: Sam Li 2020. MojoSort™ Mouse CD8a Selection Kit Column Protocol. protocols.io dx.doi.org/10.17504/protocols.io.bbugintw

Record Creation Time: 20210329T220521+0000

Record Last Update: 20210329T220851+0000

Data and Source Information

Source: