

Resource Summary Report

Generated by [dkNET](#) on Sep 7, 2026

FITC Donkey anti-rabbit IgG (min. x-reactivity)

RRID:AB_893531

Type: Antibody

Proper Citation

BioLegend Cat# 406403, RRID:AB_893531

Antibody Information

URL: http://antibodyregistry.org/AB_893531

Proper Citation: BioLegend Cat# 406403, RRID:AB_893531

Target Antigen: Rabbit IgG

Host Organism: donkey

Clonality: polyclonal

Comments: Applications: ICC, FC

Antibody Name: FITC Donkey anti-rabbit IgG (min. x-reactivity)

Description: This polyclonal targets Rabbit IgG

Target Organism: rabbit

Clone ID: Clone Poly4064

Antibody ID: AB_893531

Vendor: BioLegend

Catalog Number: 406403

Record Creation Time: 20231110T042740+0000

Record Last Update: 20260829T055901+0000

Ratings and Alerts

No rating or validation information has been found for FITC Donkey anti-rabbit IgG (min. x-reactivity).

No alerts have been found for FITC Donkey anti-rabbit IgG (min. x-reactivity).

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 15 mentions in open access literature.

Listed below are recent publications. The full list is available at [dkNET](#) .

Wu X, et al. (2025) Cathepsin C-driven enhancement of neutrophil extracellular trap formation contributes to acute lung injury. *iScience*, 28(12), 113928.

Qian Y, et al. (2025) Metformin hijacks AMPK-ERK1/2 signaling to trigger a pathogenic "selection trap" and thymic atrophy. *Cell reports*, 45(1), 116762.

de Aquino MTP, et al. (2025) Glutamate receptor-T cell receptor signaling potentiates full CD8+ T cell activation and effector function in tumor immunity. *iScience*, 28(10), 112772.

Ma S, et al. (2024) Targeting P4HA1 promotes CD8+ T cell progenitor expansion toward immune memory and systemic anti-tumor immunity. *Cancer cell*.

Ben Nasr M, et al. (2024) Glucagon-like peptide 1 receptor is a T cell-negative costimulatory molecule. *Cell metabolism*, 36(6), 1302.

Kharel A, et al. (2023) Loss of PBAF promotes expansion and effector differentiation of CD8+ T cells during chronic viral infection and cancer. *Cell reports*, 42(6), 112649.

You M, et al. (2023) Mettl3-m6A-Creb1 forms an intrinsic regulatory axis in maintaining iNKT cell pool and functional differentiation. *Cell reports*, 42(6), 112584.

Jarosch S, et al. (2022) ChipCytometry for multiplexed detection of protein and mRNA markers on human FFPE tissue samples. *STAR protocols*, 3(2), 101374.

Shiozawa S, et al. (2022) DOCK8-expressing T follicular helper cells newly generated beyond self-organized criticality cause systemic lupus erythematosus. *iScience*, 25(1), 103537.

Jarosch S, et al. (2021) Multiplexed imaging and automated signal quantification in formalin-fixed paraffin-embedded tissues by ChipCytometry. *Cell reports methods*, 1(7), 100104.

Sun Z, et al. (2021) The kinase PDK1 is critical for promoting T follicular helper cell differentiation. *eLife*, 10.

Daneshmandi S, et al. (2021) Blockade of 6-phosphogluconate dehydrogenase generates CD8+ effector T cells with enhanced anti-tumor function. *Cell reports*, 34(10), 108831.

Zhou X, et al. (2020) Para-Halogenation of Amphetamine and Methcathinone Increases the Mitochondrial Toxicity in Undifferentiated and Differentiated SH-SY5Y Cells. International journal of molecular sciences, 21(8).

Cai Y, et al. (2019) Differential Roles of the mTOR-STAT3 Signaling in Dermal ?? T Cell Effector Function in Skin Inflammation. Cell reports, 27(10), 3034.

Kishore M, et al. (2017) Regulatory T Cell Migration Is Dependent on Glucokinase-Mediated Glycolysis. Immunity, 47(5), 875.